

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	((("5879518") or ("4731515") or ("5294242"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/11 08:46
S2	12	"2727635"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/11 08:55
S3	3	"07070615"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/11 08:56
S4	10	("2427588" "3553415" "4416751" "4488031" "4490601" "4491714").PN. OR ("4731515").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/11 09:18
S5	18	("2526423" "2821615" "2996602" "3385947").PN. OR ("3553415").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/15 10:46
S6	10	("2427588" "3553415" "4416751" "4488031" "4490601" "4491714").PN. OR ("4731515").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/15 10:46
S7	15	"2996602"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:11

S8	432	arc and powder and cryogen\$3 and (electrode (anode and cathode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:15
S9	370	arc and powder and cryogen\$3 and (electrode (anode and cathode)) and (touch \$3 contact\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:17
S10	965	EDM and (touch\$3 contact\$3) with (electrode cathode anode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:22
S11	919	EDM and (touch\$3 contact\$3) with (electrode (cathode with anode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:22
S12	292	S11 and arc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:22
S13	485	204/192.38.ccls. or 204/298.41.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:11
S14	41	S13 and (cryogenic (cooling near3 (liquid fluid)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:12
S15	208	(electric adj discharge same arc) and powder and ((contact\$3 touch \$3 with (gap withdraw \$3 separat\$3 apart)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:18

S16	10	(electric adj discharge same arc) and powder and ((contact\$3 touch \$3 with (gap withdraw \$3 separat\$3 apart))) and ((liquid with (argon nitrogen Ar "N. sub.2" N2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:19
S17	27	(electric adj discharge same arc) and powder and ((contact\$3 touch \$3) with (gap withdraw\$3 separat\$3 apart))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:21
S18	673	(formation initializing initiating starting) near5 (arc arcing) and (arc with deposition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:23
S19	103	((formation initializing initiating starting) near5 (arc arcing) same (contact\$3 touch \$3)) and (arc with deposition)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:24
S20	1	S13 and (spectrometer with arc with temperature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:44
S21	1	S13 and (spectrometer with arc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:44
S22	11	S13 and (spectrometer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:45
S23	28	S13 and ((intensity wavelength) near5 arc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:46

S24	1	"AU 9643070"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 13:59
S25	68	(electric adj arc) same (coat\$3 deposit\$3) and (liquid adj nitrogen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 08:36
S26	63	(vacuum adj arc) and electrode with (((graphite with (iron Fe)) ((Sn Cu tin copper) with (Al Fe aluminum iron))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 08:54
S27	6	((("2,975,255") or ("2,975,256") or ("3,140,373,")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/27 08:57
S28	6	((("2975255") or ("2975256") or ("3140373"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/27 08:57
S29	485	204/192.38.ccls. or 204/298.41.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:02
S30	27	S29 and (electrode cathode anode) with (multilayer\$2 bilayer \$2 (multi adj layer\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:02
S31	63	S29 and (graphite with (iron Fe) core)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:05
S32	1	S29 and (graphite with (iron Fe) with core)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:06

S33	2	S29 and ((Sn Cu tin copper stannous) with (aluminum iron fe al) with core)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:06
S34	280	vacuum adj; arc adj deposit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:08
S35	2061	arc adj deposit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:08
S36	45	S35 and ((Sn Cu tin copper stannous) with (aluminum iron fe al) with core)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:08
S37	375	S35 and (graphite with (iron Fe) core)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:09
S38	3	S35 and (graphite with (iron Fe) with core)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:09
S39	590	powder same arc same solvent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:16
S40	0	solvent with protect\$4 with powder and (arc adj deposit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:18

S41	6	solvent with protect\$4 with powder and (electric adj arc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:19
S42	1151	solvent with protect\$4 with powder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:20
S43	0	solvent with coolant with protect\$4 with powder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:20
S44	239	427/540.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:38
S45	1	S44 and (liquid adj nitrogen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:39
S46	61	S44 and liquid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:41
S47	1390	powder with (dispersed contained emulsified suspended) with liquid with solvent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:47
S48	23	powder with (dispersed contained emulsified suspended) with liquid with (add \$3 adj solvent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:47

S49	6811	(determin\$4 monitor \$3 measur\$3 sens\$3) with temperature with ((intensity wavelength) with (light visual))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:56
S50	1285	(determin\$4 monitor \$3 measur\$3 sens\$3) adj temperature with ((intensity wavelength) with (light visual))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:56
S51	264	(determin\$4 monitor \$3 measur\$3 sens\$3) adj temperature with ((intensity wavelength) adj (light visual))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:56
S52	0	(determin\$4 monitor \$3 measur\$3 sens\$3) adj temperature with ((intensity wavelength) adj (light visual)) with (electrical adj arc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:57
S53	3	(determin\$4 monitor \$3 measur\$3 sens\$3) adj temperature with ((intensity wavelength) adj (light visual)) with (electrical electricity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:58
S54	5	(determin\$4 monitor \$3 measur\$3 sens\$3) adj temperature with ((intensity wavelength) adj (light visual)) with (electrical electricity arc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 09:58
S55	205	219/137.62.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 10:30

S56	323	(filter remove) adj (powder particles) with solvent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 10:32
S57	1	(filter\$3 remov\$3) adj (powder particles) with solvent with protect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 10:33
S58	927	(filter\$3 remov\$3) adj (powder particles) with solvent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 10:34
S59	870	S58 not (filter adj powder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 10:34
S60	61	(filter\$3 remov\$3) adj (powder particles) with solvent and (metal adj (powder particle)) not (filter adj powder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 10:35
S61	69	(filter\$3 separat\$3) adj (powder particles) with solvent and (metal adj (powder particle)) not (filter adj powder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 11:32
S62	2632	liquid near3 solid near3 extraction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 11:36
S63	605	(liquid near3 solid near3 extraction) with solvent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 11:36

S64	0	(liquid near3 solid near3 extraction) with solvent with (metal adj powder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 11:40
S65	0	(liquid near3 solid near3 extraction) with solvent with (metallic adj powder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 11:40
S66	0	(liquid near3 solid near3 extraction) with solvent with (titanium adj powder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 11:40
S67	35	(liquid near3 solid near3 extraction) with solvent with (particle powder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 11:40
S68	3	(liquid near3 solid near3 extraction) with solvent same ((metal Ti titanium iron Fe) with (particle powder))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 11:41
S69	0	(liquid near3 solid near3 extraction) with solvent same cryogenic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 11:43
S70	30	(liquid near3 solid near3 extraction) with solvent same (argon nitrogen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 11:43
S71	0	(liquid near3 solid near3 extraction) with solvent same (cryogen \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 11:44

S72	7	("5879518" "3553415" "4731515").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:18
S73	2	S72 and rotat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:19
S74	7	("5879518" "3553415" "4731515").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 17:05
S75	0	S74 and rotatable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 17:05
S76	485	204/192.38.ccls. or 204/298.41.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:18
S77	91	S76 and rotat\$4 and surround\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:18
S78	39	S76 and rotat\$4 and surround\$3 and thick \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:18
S79	0	219/69.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:21

S80	1596	219/74.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:21
S81	365	219/69.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:21
S82	42	S81 and (coat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:22
S83	94	S76 and (electrode anode cathode) near5 surround\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:23
S84	2	S76 and (coating adj electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:26
S85	13	S76 and (deposit\$3 adj electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:26
S86	201	(arc adj deposition) and (graphite tungsten) with (electrode cathode anode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 11:40
S87	139	S76 and (carbon tungsten) with (electrode anode cathode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 11:45

8/ 29/ 2008 8:52:13 AM

C:\Documents and Settings\jberman2\My Documents\EAST\Workspaces\10508913.wsp